

AMPRIORS MACTOINASISTE I ADODATORY
Sanitized Copy Approved for Release 2010/12/13 : CIA-RDP72B00464R000400100042-5

PURCHASE GRAS

NO. 178483

Varian associates

PASE 2 OF 5

- B. AMENDMENTS TO AIL DRAWINGS AND SPECIFICATIONS:
 - 1) 216012, PARAGRAPH 3.2.1 SUBSTITUTE FREQUENCY RANGE OF "17710 TO 27610 MC" YIELD #17710 TO 27400 MC". SELLER SHALL EXPEND BEST EFFORTS TO MEET A DESIGN GOAL OF 27610 MC.
 - 2) 218679, PARAGRAPH 3.2.12 -ADD "THE SECOND HARMONIC WILL BE A MINIMUM OF 25 DB BELOW THE CARRIER".
- 11. DRAWINGS AND DATA
 - A, DRAWINGS AND DATA FURNISMED UNDER BUYER'S ORDER 155639 ARE APPROVED FOR USE MERCUMDER.
- 119, SERIALIZATION
 - A. EACH TUBE TYPE WILL BE SERIALLY NUMBERED.
- IV. AMENDITATIS TO GENERAL TERMS AND CONDITIONS
 - A. AMEND THE GENERAL TERMS AND CONDITIONS AS SET FORTH ON REVERSE SIDE OF PAGE ONE OF THIS PURCHASE ORDER AS FOLLOWS:
 - 1) delete article <u>1. markanty</u> in its entirety and substitute the following therefor:

3. WARRANTY

- A. IN ADDITION TO ALL OTHER WARRANTIES EXPRESSED OR IMPLIED AT LAW, SELLER WARRANTS THAT ALL TUBES DELIVERED HEREUNDER SHALL COMPLY WITH ALL APPLICABLE SPECIFICATIONS AND SHALL BE FREE FROM DEFECTS IN MATERIALS, WORKMANSHIP AND PERFORMANCE WHEN USED UNDER THE CONDITIONS AND WITHIN THE RATINGS SPECIFIED BY AIL SPECIFICATION 218679 AND AIL DRAWINGS \$218012, \$218031 AND \$218013. IF SUCH DEFECTS APPEAR BEFORE 1000 OPERATING HOURS, CREDIT ADJUSTMENT, BASED ON THE REPLACEMENT PRICE OF THE TUBE, WILL BE MADE IN ACCORDANCE WITH THE FOLLOWING SCHEDULES
 - 1) FULL CREDIT ADJUSTMENT WILL BE MADE AT OR BEFORE 100 OPERATING HOURS.
 - 2) Subsequent to 100 operating hours, a propated credit adjustment will be made based on the difference detrien elapsed life in hours at failure and 1000 hours

Sanitized Copy Approved for Release 2010/12/13: CIA-RDP72B00464R000400100042-5

A DIVISION CUYLER-HAMMER, INC.

PURCHASE ORDER

NO. 178483

PAGE 3 OF &

VENDOR: VARIAN ASSOCIATES

- B. NO CREDIT ADJUSTMENT WILL BE ALLOWED AFTER 1000 OPERATING HOURS OR FOR TUBES THAT HAVE BEEN SUBJECTED BY BUYER, TO ABUSE; IMPROPER INSTALLATION OR APPLICATION: ALTERATION; ACCIDENT OR NEGLIGENCE IN USE, STORAGE, OR MANDLING.
- C. ALL WARRANTIES EXPIRE ONE YEAR FROM DATE OF DELIVERY TO THE ULTIMATE USER OR 18 MONTHS FROM THE DATE TUBE WAS DELIVERED TO BUYER, WHICHEVER IS SOONER.
- D. OPERATING HOURS ARE DEFINED AS THE NUMBER OF HOURS THAT THE TUBE HEATER OR FILANCE IS ENERGIZED. A DEFECT IS DEFINED AS TO HAVE OCCURRED WHEN A TUBE FAILS TO SATISFALL REQUIREMENTS OF APPLICABLE SPECIFICATIONS.
- E. TUBES CLAIMED TO BE DEFECTIVE ARE SUBJECT TO INSPECTION AND TEST BY SELLER.
- F. BY RETURNING A TUBE, BUYER AGREES THAT SELLER MAY OPEN AND DISASSEMBLE THE TUBE. IF RECESSARY, FOR IMPRECTION AND TEST. IMPRECTION AND TEST MAY RESULT IN DESTRUCTION OF THE TUBE, ADJUSTMENT FOR A DESTROYED TUBE WILL BE ALLOWED IF SUCH TUBE IS DETERMINED TO BE SUBJECT TO ADJUSTMENT. BUYER WILL BE NOTIFIED IF THE TUBE IS NOT SUBJECT TO ADJUSTMENT, AND UNLESS BUYER FURNISHES SELLER WITH DISPOSITION INSTRUCTIONS FOR THE TUBE WITHIN THIRTY DAYS AFTER SUCH NOTIFICATION, SELLER WILL RETURN THE TUBE "AS IS" TO BUYER.
- G. SELLER SHALL MAKE FINAL DETERMINATION AS TO THE EXISTENCE AND CAUSE OF A DEFECT.
 ALL DATA SUPPORTING ANY SUCH DETERMINATION SHALL BE FURNISHED TO BUYER IN DUPLICAT
- N. AIR FREIGHT TRANSPORTATION COSTS, IN BOTH DIRECTIONS, WITHIN THE CONTINENTAL LIMIT OF THE FORTY-EIGHT CONTIGUOUS STATES, WILL BE ALLOWED BY SELLER FOR TUBES FOUND SUBJECT TO ADJUSTMENT. BUYER SHALL PAY TRANSPORTATION CHARGES BEYOND THE CONFINES OF THE FORTY-EIGHT CONTIGUOUS STATES AND FOR TUBES FOUND NOT SUBJECT TO ADJUSTMENT
- 1. THIS MARRANTY SHALL SURVIVE ACCEPTANCE AND RUN TO BUYER, ITS SUCCESSORS, ASSIGNS, CUSTOMERS AND USERS OF ITS PRODUCTS.
- 2) DELETE, FROM THE FIRST SENTENCE OF <u>ARTICLE 25 EXAMINATION OF RECORDS</u>, THE MURDS "DEPARTMENT OF DEPENSE".

v. <u>Inspection and test</u>

A. DUYER'S REPRESENTATIVE WILL CHECK IN-PROCESS PERFORMANCE AND TEST, AS MAY BE REQUIRED. AT SELLER'S FACILITY. FINAL ACCEPTANCE WILL BE AT BUYER'S PLANT.

AMMADIK METDIMENTO I ABADATARY Sanitized Copy Approved for Release 2010/12/13: CIA-RDP72B00464R000400100042-5 PURCHASE ORDER

178483

vendor:

VARIAN ASSOCIATES

PAGE & OF &

B. ACCEPTANCE TESTING AS REQUIRED BY SUB-PARAGRAPHS 3.2.1, 3.2.6, 3.2.10, 3.2.10.1, 2.2.10. 3.2.11, AND 3.2.12 OF AIL SPECIFICATION 218679 WILL BE PERFORMED BY SELLER. PERFORMANCE OF OTHER ACCEPTANCE TESTING AND OF QUALIFICATION TESTING IS NOT REQUIRED, HOWEVER, BY IT PERFORMANCE MEREUNDER, SELLER CERTIFIES THAT ALL TUBES SUPPLIED WILL MEET THE REQUIREMENT. OF SAID TESTING.

VI. ACO APPROVAL

This purchase order is subject to approval of the cognizant military administrative contrac INC OFFICER, NOTIFICATION OF WHICH SHALL BE FORWARDED TO SELLER UPON ITS RECEIPT BY DUYER.
ALL WORK OR SERVICES CALLED FOR HEREUNDER WHICH ARE PERFORMED IN ANTICIPATION OF RECEIPT OF
SUCH APPROVAL, AND ALL COSTS REASONABLY OR NECESSARILY INCURRED WITH RESPECT THERETO, SHALL
UNTIL HOTICE THAT SUCH A.C.O. APPROVAL IS RECEIVED BY SELLER, DE AT SELLER'S RISK. FOLLOWING
SUCH APPROVAL, ALL SUCH COSTS SHALL BE ALLOWABLE UPON ANY TERMINATION OF TO THE SAME EXTERNING MADE DEPORT AND MADE RESPONDED THE SAME EXTERNIOR OF MADE RESPONDED TO THE SAME EXTERNIOR OF MADE RESPONDED THE SAME EXTERNIOR OF MADE RESPONDED TO THE SAME EXTERNIOR OF MADE RESPONDED THE SAME PAGE RESPONDED THE SAME PAGE RESPONDED THE SAME PAGE RESPONDED THE P SUCH WOULD MAVE BEEN ALLOWABLE UNDER THIS PURCHASE ORDER, AS AMENDED, MAD CONTRACTING OFFIC APPROVAL BEEN GRANTED PRIOR TO ISSUANCE OF THIS PURCHASE ORDER.

VII. ADDITIONAL PROVISIONS

IN ADDITION TO THE "SEMERAL TERMS AND CONDITIONS" INCLUDING THE "ADDITIONAL PROVISIONS" ALL APPEARING ON THE REVERSE SIDE OF PAGE 1 OF THIS PURCHASE ORDER, THE FOLLOWING EXHIBIT ARE ATTACHED HERETO AND MADE A PART MEREOF?

> exhibit as AIL FORM PROJU

> EXMIBIT Be AIL FORM PR-75

VIII. SHIPPING SCHEDILE

THREE TUBES OF EACH ITEM ON THE FIRST WORKING DAY OF EACH OF THE FOLLOWING MONTHS: JANUARY, FEDRUARY, APRIL, JUNE, AUGUST AND OCTOBER, STARTING I JANUARY 1965 WITH THE LAST SHIPMENT TO BE MADE ON 1 OCTOBER 1265. A. ALL ITEMS

IX. AIL SUPPLIED MATERIAL

ALL TO SUPPLY REACKET ASSEMBLY 217138-1 AND 217138-2 IN ACCORDANCE WITH AIL DWGS. 216913, 216012 AND 216031. This purchase groer to be consthed with AIL purchase order 170404 for price advantage.